

DORLAND Industrial Intrinsically Safe Smart Watch Ex Smart04

Beijing Dorland System Control Technology Co., Ltd. recently launched the Industrial Intrinsically Safe Smart Watch Ex Smart04. The intrinsically safe circuit design has a domineering appearance and a strong body. The product adopts a 2.41 inch touch screen and 5MP+2MP camera. It can be connected with SIM card and wireless 2.4G / 5G dual frequency WIFI. It is convenient to use video, voice, call answering, SMS prompt, voice search and other functions.

In addition, the product's rear sensor can carry out accurate identification and analysis of various sports patterns, heart rate detection, sleep analysis and sports effect evaluation. We also have GPS (GLONASS) positioning and other functions suitable for outdoor construction and pipeline inspection inside the watch, which can cooperate with OA office system, patrol positioning system, data acquisition system and other applications. It is especially suitable for hazardous explosion environment, such as petroleum, chemical, pharmaceutical, oil depot, tank farm and other dangerous places with combustible and explosive gas, which is convenient for users to communicate with production and scheduling in time.



DORLAND

www.dorland-tech.com









Ex Smart04

DORLAND www.dorland-tech.com

www.dorland-tech.com				
Certification parameters				
Marking	Ex ib IIC T4 Gb / Ex ibD 21 T130℃			
Certificate No.	CCRI 21.2025			
IP Grade	IP67			
Product	Functions		Specifications	
Hardware	CPU	MT6739		
	Soft	Android 7.1		
	Memory	RAM 3GB + ROM 32GB		
	Camera	Front camera:5 MP Side camera:2MP		
	Connections	4G/3G/2G, WiFi, GPS, Bluetooth		
	Networks	2G	GSM:B2+B3+B5+B8	
		3G	WCDMA:B1+B2+B5+B8	
			TD-SCDMA:B34/39	
		4G	LTE-FDD:B1+B2+B3+B5+B7+B8+B12+B17+B20	
			LTE-TDD:B38+B39+B40+B41	
	Pedometer	Support		
	WiFi	Support both 2.4G/5G		
	GPS	Support		
	Gravity sensor	Support		
	Heart Rate	Support		
	Bluetooth	V4.0		
Cosmetic	Dimensions	65.5MM *45.5MM*15.2MM (L+W+H)		
		Long strap:120MM Short strap:85MM		
	Gift box	L95 mm, W110 mm, H 83 mm		
	Color	silver, gun metal		
	Weight (Unit)	120g		
Display	LCD	2.41"		
	Resolution	640*480"IPS full mount screen		
Structure	Speaker	Support		
	Microphone	Sup	Support	
	Battery	2080mAh polymer battery		
	Vibration	Support		
	Button	2 bu	2 button,Power on Key + Return key	
Interface	Charging/Data	Magnetic pogo pin		

Tel: +86-10-62198496 Fax: +86 010 62985217 www.dorland-tech.com tian@dorland.com.cn

DORLAND

www.dorland-tech.com

Watch Languages

English, Lao, French, Nepalese, Azerbaijani, Croatian, Mongolian, Georgian, Zulu (Africa), Tagalog, Arabic (Egypt), Italian, Armenian, Persian, Swahili, Slovak, Amharic (Ethiopian), Latvian, Slovenian, Hindi, Lithuanian, Finnish, Bengali, Hungarian, Swedish, Thai, Dutch, Vietnamese, Burmese, Norwegian written, bakmo Norwegian, Turkish, Khmer (Cambodian), polish, Greek, Korean / Korean, Portuguese (Brazil), Belarusian, simplified Chinese, Portuguese (Portugal), Bulgaria Chinese, traditional, Romanian, Russian, Japanese, burl / Afrikaans, Serb, Czech, Indonesian, Ukrainian, Danish, Malay, Hebrew, German, Catalan, Urdu, Estonian

Certification parameters

- 1.2.41 inch IPS full screen HD large screen display
- 2. Zinc alloy fuselage metal texture + dual cameras
- 2. 2080mah high voltage and high capacity polymer battery meets the daily use
- 3.3Gb + 32GB super storage
- 4. The green light heart rate sensor can detect heart rate more accurately
- 5. Multi dynamic dial, multi movement mode
- 6 information push reminder to prevent important information from delaying viewing
- 7.4g network, experience high speed internet surfing
- 8. Unlock face recognition to protect personal privacy







CONFORMITY CERTIFICATE OF EXPLOSION-PROOF

Certificate No.:

CCRI 21.2025

Company:

Beijing Dorland System Control Tech Co.,Ltd

Address:

Room 807, Yingu Plaza, North 4th Ring West Road, Haidian District, Beijing 100080, P.R. China

Name of Product:

Industrial Intrinsically Safe Smart Watch

Type of Product:

Ex Smart04

Marking:

Ex ib II C T4 Gb / Ex ibD 21 T130℃

Technical Documents: EXW/DLM 012-2020

Drawing No.:

Ex Smart04 BZ01

Note(s):

1. Power supply by rechargeable lithium ion battery with dual protection. Optional battery 1 is Ex Battery 048, rated voltage DC 3.7V, nominal total capacity 2880mAh.Optional battery 2 is Ex Battery 049, rated voltage DC 3.8V,

nominal total capacity 2080mAh; Ambient temperature range:-20°C≤Ta≤+60°C;

3.IP code: IP67.

By verifying the drawings and technical documents and checking samples, the product complies with the following standards currently valid in P.R.China:

> GB 3836.1-2010, GB 3836.4-2010, GB/T 4208-2017 GB 12476.1-2013, GB 12476.4-2010

Date of Issue:

1.19.2021

Valid till:

1.18.2026

Authorize:

Test Center Of China Coal Research Institute (媒與科学技术研究院有限公司检测中心)

(The test center of the national safety production of mining equipment and mining oil in Beijing) Note: This certificate is only valid for the products that are in accord with samples tested and verified. Center Add: No.5 Qingniangou Road, Hepingli, Beijing, 100013 Tel/fax: 010-89268018 The query url of Explosion-proof Certificate: http://www.ccritc.com.cn/Home